

# Safety data sheet

According to the Hazardous  
Products Regulation 2015

## SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product name : AMMA MARINE SUPREME SYNTHETIC BLEND HIGH PERFORMANCE GEAR LUBE  
Product code : AMMAHPGEARSYNL

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : Consumer product. Engine maintenance.

### 1.3. Details of the supplier of the safety data sheet

Supplier : Amma Marine Inc.  
440 Blvd Industriel  
J7R 5V3 St-Eustache, Québec, Canada  
Telephone : 450.983.2500  
E-mail : info@ammamarine.ca  
Website : www.ammamarine.ca

### 1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:  
CA - Telephone : 450.983.2500 (During office hours only)

EMERGENCY TELEPHONE NUMBER (for DOCTORS only):  
CHEMTREC 001 703 5273887 (24/7)

## SECTION 2 HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

HPR classification : Not classified as dangerous according to the Hazardous Products Regulations.  
Human health hazards : Contains petroleum distillates, may be harmful when ingested.

### 2.2. Label elements

Label elements (HPR)  
Hazard pictograms : None.  
Signal word : Not applicable.  
H- and P-phrases : None.  
Labelling of packagings where the contents do not exceed 100 ml:  
Hazard pictograms : None.  
Signal word : Not applicable.

## SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

### 3.2. Mixtures

Product description : Mixture.  
Information on constituents : Non-hazardous product. Does not contain ingredients carrying a health hazard in concentrations above their cut-off limits.  
Occupational exposure limit(s), if relevant, are listed in section 8.

# Safety data sheet

According to the Hazardous  
Products Regulation 2015

## SECTION 4 FIRST-AID MEASURES

### 4.1. Description of first aid measures

First aid measures

- Inhalation : Move victim into fresh air. Consult a doctor if victim feels unwell.
- Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up.
- Eye contact : Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor if irritation persists.
- Ingestion : Do not induce vomiting. Give nothing to drink. Do rinse the mouth. Never give anything by mouth to an unconscious person. Consult a doctor if victim feels unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

- Inhalation : May cause headache, dizziness and a feeling of sickness.
- Skin contact : Repeated exposure may cause skin dryness or cracking.
- Eye contact : May cause stinging of eyes and redness.
- Ingestion : May cause a feeling of sickness, vomiting and diarrhoea. May cause lung damage, sore throat and lack of breath.

### 4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

## SECTION 5 FIRE-FIGHTING MEASURES

### 5.1. Extinguishing media

Extinguishing media

- Suitable : Carbondioxide (CO2). Foam. Dry chemical. Water fog.
- Not suitable : Water jet.

### 5.2. Special hazards arising from the substance or mixture

- Special exposure hazards : Will float on water and can be reignited.
- Hazardous thermal decomposition products : Carbon monoxide may be evolved if incomplete combustion occurs.

### 5.3. Advice for firefighters

Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation.

## SECTION 6 ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

### 6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike.

### 6.3. Methods and material for containment and cleaning up

# Safety data sheet

According to the Hazardous  
Products Regulation 2015

Methods for cleaning up : Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an authorised waste collection point. Wash away remainder with plenty of water and soap.

## 6.4. Reference to other sections

Reference to other sections : See also section 8.

## SECTION 7 HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Do not breathe vapour. Avoid contact with skin and eyes.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep frost-free, in a cool, dry and well-ventilated place (< 35 °C). Keep away from oxidizing agents.  
Recommended packaging : Keep only in the original container.  
Non recommended packaging : PE and PP.

### 7.3. Specific end use(s)

Use : Use only as directed.

## SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product.

Workplace exposure limits (mg/m<sup>3</sup>):

Chemical name	Country	TWA 8 hour (mg/m <sup>3</sup> )	STEL 15 min (mg/m <sup>3</sup> )	Comments	Source
Distillates (petroleum), hydrotreated heavy paraffinic	US	5	10	as Mineral oil, highly and severely refined, inhalable particulate matter	ACGIH, NIOSH, OSHA
Distillates (petroleum), hydrotreated heavy paraffinic	AB	5	10	Oil mist, mineral	Alberta Regulation 182/2019
Distillates (petroleum), hydrotreated heavy paraffinic	QC	5	10	Mineral oil (mist)	Occupational Health and Safety 2021
Distillates (petroleum), hydrotreated heavy paraffinic	SK	5	10	Oil mist, mineral	Chemical and Biological Substances Guide 2021
Distillates (petroleum), hydrotreated heavy paraffinic	YT	5	10	Oil mist, mineral	Occupational Health Regulations
Distillates (petroleum), hydrotreated heavy paraffinic	US	5	-	Mist	OSHA
Distillates (petroleum), hydrotreated heavy paraffinic	US	5	-	inhalable particulate matter	ACGIH
Distillates (petroleum), hydrotreated heavy paraffinic	US	5	10	Mist	NIOSH

### 8.2. Exposure controls

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with chemicals.  
Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

# Safety data sheet

According to the Hazardous  
Products Regulation 2015

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

- Body protection : Use of specific protective industrial clothing is not required under normal conditions of use.  
Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure.  
Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with CSA Z94.4.  
Hand protection : Under normal conditions of use specific gloves are not required.  
Eye protection : Wear appropriate safety glasses when there is danger of possible eye contact.

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

- Appearance : Liquid.  
Colour : Light brown.  
Odour : Characteristic.  
Odour threshold : Not known.  
pH : Not applicable. Waterfree product.  
Solubility in water : Not soluble.  
Partition coefficient (n-octanol/water) : Not applicable. Not measured. Not relevant for mixtures.  
Flash point : 222 °C Cleveland Open Cup (ASTM D92).  
Flammability (solid, gas) : Not applicable. Liquid. See flashpoint.  
Auto ignition temperature : > 440 °C  
Boiling point/boiling range : > 100 °C  
Melting point/melting range : < 0 °C  
Explosive properties : None known. Does not contain explosives.  
Explosion limits (% in air) : Not known. Lower explosion limit in air (%): 0,9 ( Distillates (petroleum), hydrotreated heavy paraffinic )  
Upper explosion limit in air (%): 7 ( Distillates (petroleum), hydrotreated heavy paraffinic )  
Oxidising properties : Not applicable. Does not contain oxidizing substances.  
Decomposition temperature : Not applicable.  
Viscosity (20°C) : Not known.  
Viscosity (40°C) : 60 mm<sup>2</sup>/sec  
Vapour pressure (20°C) : Not known.  
Vapour density (20°C) : > 1 (air = 1)  
Relative density (20°C) : 0,865 g/ml  
Evaporation rate : Not known. (n-butyl acetate = 1)

### 9.2. Other information

- Other information : Not relevant.

## SECTION 10 STABILITY AND REACTIVITY

### 10.1. Reactivity

- Reactivity : See sub-sections below.

### 10.2. Chemical stability

- Stability : Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

- Reactivity : No other hazardous reactions known.

# Safety data sheet

According to the Hazardous  
Products Regulation 2015

## 10.4. Conditions to avoid

Conditions to avoid : See section 7.

## 10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

## 10.6. Hazardous decomposition products

Hazardous decomposition products : Not known.

## SECTION 11 TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

#### Inhalation

- Acute toxicity : Calculated LC50: > 5,852 mg/l. Ingredients of unknown toxicity: < 1 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause headache, dizziness and a feeling of sickness.
- Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
- Carcinogenicity : Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not classified - based on available data, the classification criteria are not met.

#### Skin contact

- Acute toxicity : Calculated LD50: > 4727 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Prolonged contact may dry out and defat the skin. Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Does not contain skin sensitisers. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

#### Eye contact

- Corrosion/irritation : Slight irritation possible. Not classified - based on available data, the classification criteria are not met.

#### Ingestion

- Acute toxicity : Calculated LD50: > 4691 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Aspiration : Highly viscous liquid. Not classified - based on available data, the classification criteria are not met. Contains a substance/substances with an aspiration hazard. After ingestion, at vomiting, risk of aspiration in the lungs.
- Corrosion/irritation : May cause a feeling of sickness, stomachache, vomiting and diarrhoea.
- Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
- Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

## SECTION 12 ECOLOGICAL INFORMATION

### 12.1. Toxicity

# Safety data sheet

According to the Hazardous  
Products Regulation 2015

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Calculated LC50 (fish): 403 mg/l. Calculated EC50 (waterflea): 1520 mg/l. Contains 0 % of components with unknown hazards to the aquatic environment. May form an oil film on the water surface causing a decline in oxygen content with possible adverse effects for aquatic organisms.

## 12.2. Persistence and degradability

Persistence – degradability : No specific information known.

## 12.3. Bioaccumulative potential

Bioaccumulative potential : Contains bioaccumulating substances.

## 12.4. Mobility in soil

Mobility : Adsorbs to soil and has low mobility. Floats on water.

## 12.6. Other adverse effects

Other information : Not applicable.

## SECTION 13 DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Product residues : Do not dispose empty pack with waste produced by households. Containers should be recycled or re-used. Treat product residues and non-empty pack as chemical waste. Dispose waste to an official chemical waste depot.

Additional warning : None.

Waste water discharge : Do not dispose into the environment, in drains or in water courses. Avoid discharge of waste water arising from tank cleaning to the environment.

Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

## SECTION 14 TRANSPORT INFORMATION

### 14.1. UN number or ID number

UN nr. : None.

### 14.2. UN proper shipping name

Transport name : Not regulated.

### 14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

TDG (land)  
Class : This product is not classified according to TDG.

IMDG (sea)  
Class : This product is not classified according to IMDG.  
Marine pollutant : No

IATA (air)  
Class : This product is not classified according to IATA.

### 14.6. Special precautions for user

Other information : Country specific variations may apply.

# Safety data sheet

According to the Hazardous  
Products Regulation 2015

## 14.7. Maritime transport in bulk according to IMO instruments

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments.  
Packaged liquids are not considered bulk.

## SECTION 15 REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations : Hazardous Products Regulation 2015 and other regulations.  
: This product is exempted from classification as "May be fatal if swallowed and enters airways" on basis of subpart 10, paragraph 8.10.5(a) of Part 8 of the Hazardous Products Regulation.

Substances listed on the Canadian Domestic Substances List (DSL)  
: Distillates (petroleum), hydrotreated heavy paraffinic Distillates (petroleum), hydrotreated heavy paraffinic

## SECTION 16 OTHER INFORMATION

### 16.1. Other information

The information in this safety data sheet is compiled in compliance with the Hazardous Products Regulation 2015 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (\*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ATE	: Acute Toxicity Estimate
CMR	: Carcinogenic, Mutagenic or toxic for Reproduction
DSL	: Domestic Substances List
GHS	: Globally Harmonized System of Classification and Labelling of Chemicals
HPA	: Hazardous Products Act
HPR	: Hazardous Products Regulations
IATA	: International Air Transport Association
IBC code	: International Bulk Chemical Code
IMDG	: International Maritime Dangerous Goods Code
LD50/LC50	: Lethal Dose/Concentration for 50% of a population
MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level
OECD	: Organisation for Economic Co-operation and Development
OSHA	: United States Occupational Safety and Health Administration
PBT	: Persistent, Bioaccumulative and Toxic
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
TDG	: Transportation of Dangerous Goods
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit
UN	: United Nations
VOC	: Volatile Organic Compounds
vPvB	: Very Persistent and Very Bioaccumulative
WHMIS	: Workplace Hazardous Materials Information System

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

# Safety data sheet

According to the Hazardous  
Products Regulation 2015

---

Advice on any training appropriate for workers: none.

Number format : "," used as decimal separator.

Date of preparation or latest  
revision : 2019-04-28

---

End of safety data sheet.